



The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Monday, June 10, 2024** at 12:15 a.m. Eastern Time. Please [contact NSF](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information:

<http://info.nsf.org/Certified/PwsComponents/Listings.asp?Company=22140&Standard=061&>

NSF/ANSI/CAN 61 Drinking Water System Components - Health Effects

NOTE: Unless otherwise indicated for Materials, Certification is only for the Water Contact Material shown in the Listing. Click here for a list of Abbreviations used in these Listings. Click here for the definitions of Water Contact Temperatures denoted in these Listings. Products certified to NSF/ANSI/CAN 61 comply with the health effects criteria in NSF/ANSI/CAN 600.

THC Chile S.A.

Mar del Sur No 7481
Barrio Industrial Pudahuel
Pudahuel, Santiago
Chile
56 2 749 1002

Facility : Santiago, Chile

Mechanical Devices

Trade Designation	Size	Water Contact Temp	Water Contact Material
Valves* [G]			
28888 Compression Straight Valve	1/2" x 3/8"	D. HOT	MLTPL
28893 Compression Angle Valve	1/2" x 3/8"	D. HOT	MLTPL
28894 Straight Stop Valve	3/4"	C. HOT	MLTPL

* These products are also represented by the trade name: THC.
[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state

laws and the U.S. Safe Drinking Water Act.

Mechanical Plumbing Devices

Trade Designation

Valves[1] [G]

28886 Hose Bib Valve 1/2" MBSP x 3/4" MPT Garden (or MNH)

28887 Hose Bib Black Valve 1/2" Barb x 3/4" MPT Garden (or MNH)

6886 Hose Bib Valves 1/2" M/BSP x 3/4" MPT Garden or (MNH)*

6887 Hose Bib Valves 1/2" Pipe x 3/4" MPT Garden or (MNH)*

* These products are also represented by the trade name: THC.

[1] MPT - Male National Pipe Thread

M/BSP - Male British Standard Pipe Threads

MNH - Male Standard Hose Coupling Threads

[G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Fittings[1] [G]			
Cap 1/2" FTG (6860)	1/8"-3/4"	C. HOT	MLTPL
Cap 3/4" FTG (6861)	1/8"-3/4"	C. HOT	MLTPL
Coupling 1/2" P x 1/2" FPT swivel (6796)	1/8"-3/4"	C. HOT	MLTPL
Coupling 3/4" P x 3/4" FPT swivel (6849)	1/8"-3/4"	C. HOT	MLTPL
Coupling 1/2" P x 1/2" FBSP swivel (6873)	1/8"-3/4"	C. HOT	MLTPL
Coupling 1/2" P x 1/2" P (6840)	1/8"-3/4"	C. HOT	MLTPL
Coupling 1/2" P x 3/4" P (6845)	1/8"-3/4"	C. HOT	MLTPL
Coupling 3/4" P x 3/4" P (6846)	1/8"-3/4"	C. HOT	MLTPL
Coupling 3/4" P PEX x 3/4" P PB (6844)	1/8"-3/4"	C. HOT	MLTPL
Coupling 1/2" P x 3/4" FPT Swivel (6856)	1/8"-3/4"	C. HOT	MLTPL
Coupling 1/2" P x 3/4" Ballcock Swivel (6865)	1/8"-3/4"	C. HOT	MLTPL
Coupling 1/2" P x 3/4" FPT Garden (FNH) Swivel (6866)	1/8"-3/4"	C. HOT	MLTPL
Coupling 1/2" P x 1/2" FBSP Wing Swivel Nut (6875)	1/8"-3/4"	C. HOT	MLTPL

Elbow 1/2" P x 1/2" FPT swivel (6794)	1/8"-3/4"	C. HOT	MLTPL
Elbow 1/2" P x 3/4" FPT swivel (6811)	1/8"-3/4"	C. HOT	MLTPL
Elbow 1/2" P x 1/2" FBSP swivel (6814 and 6816)	1/8"-3/4"	C. HOT	MLTPL
Elbow 1/2" P x 1/2" FPT (6802)	1/8"-3/4"	C. HOT	MLTPL
Elbow 1/2" P x 1/2" FPT drop ear (6801)	1/8"-3/4"	C. HOT	MLTPL
Elbow 3/4" P x 3/4" FPT (6813)	1/8"-3/4"	C. HOT	MLTPL
Elbow 1/2" P x 1/2" MPT (6803)	1/8"-3/4"	C. HOT	MLTPL
Elbow 3/4" P x 1/2" MPT (6808)	1/8"-3/4"	C. HOT	MLTPL
Elbow 3/4" P x 3/4" MPT (6809)	1/8"-3/4"	C. HOT	MLTPL
Elbow 1/2" P x 3/4" MPT (6812)	1/8"-3/4"	C. HOT	MLTPL
Elbow 1/2" P x 1/2" P (6800)	1/8"-3/4"	C. HOT	MLTPL
Elbow 1/2" P x 3/4" P (6805)	1/8"-3/4"	C. HOT	MLTPL
Elbow 3/4" P x 3/4" P (6806)	1/8"-3/4"	C. HOT	MLTPL
Elbow 1/2" MPT x 1/2" Swivel (6785)	1/8"-3/4"	C. HOT	MLTPL
Elbow 1/2" P x 1/2" FPT Drop W/seal (6804)	1/8"-3/4"	C. HOT	MLTPL
Elbow 3/4" P x 3/4" FPT Swivel (6807)	1/8"-3/4"	C. HOT	MLTPL
Elbow 1/2" P x 3/8" MPT (6810)	1/8"-3/4"	C. HOT	MLTPL
Elbow 1/2" P x 3/4" FPT Garden (FNH) Swivel (6818)	1/8"-3/4"	C. HOT	MLTPL
Female Adapter 1/2" P x 1/2" FPT (6841)	1/8"-3/4"	C. HOT	MLTPL
Female Adapter 1/2" P x 3/4" FPT (6858)	1/8"-3/4"	C. HOT	MLTPL
Female Adapter 1/2" P x 1/8" FPT (6871)	1/8"-3/4"	C. HOT	MLTPL
Female Adapter 3/4" P x 3/4" FPT (6847)	1/8"-3/4"	C. HOT	MLTPL
Female Adapter 1/2" P x 3/8" FPT (6851)	1/8"-3/4"	C. HOT	MLTPL
Male Adapter 1/2" P x 1/2" MPT (6842)	1/8"-3/4"	C. HOT	MLTPL
Male Adapter 3/4" P x 1/2" MPT (6857)	1/8"-3/4"	C. HOT	MLTPL
Male Adapter 3/4" P x 3/4" MBSP (6872)	1/8"-3/4"	C. HOT	MLTPL
Male Adapter 3/4" P x 3/4" MPT (6848)	1/8"-3/4"	C. HOT	MLTPL
Male Adapter 1/2" P x 3/4" MPT (6868)	1/8"-3/4"	C. HOT	MLTPL
Male Adapter 1/2" P x 3/8" MPT (6852)	1/8"-3/4"	C. HOT	MLTPL
Male Adapter 1/2" P x 3/4" MPT Garden (MNH) (6867)	1/8"-3/4"	C. HOT	MLTPL
Plug 1/2" P (6863)	1/8"-3/4"	C. HOT	MLTPL
Plug 3/4" P (6864)	1/8"-3/4"	C. HOT	MLTPL
Tee 1/2" P x 1/2" P x 1/2" FPT swivel (6821)	1/8"-3/4"	C. HOT	MLTPL
Tee 1/2" P x 1/2" P x 3/4" FPT swivel (6829)	1/8"-3/4"	C. HOT	MLTPL
Tee 1/2" P x 1/2" P x 1/8" FPT (6834)	1/8"-3/4"	C. HOT	MLTPL
Tee 1/2" P x 1/2" MPT x 1/2" MPT (6837)	1/8"-3/4"	C. HOT	MLTPL
Tee 1/2" P x 1/2" MPT x 1/2" P (6838)	1/8"-3/4"	C. HOT	MLTPL
Tee 1/2" MPT x 1/2" MPT x 1/2" P (6839)	1/8"-3/4"	C. HOT	MLTPL
Tee 1/2" P x 1/2" P x 1/2" MPT (6822)	1/8"-3/4"	C. HOT	MLTPL
Tee 3/4" P x 3/4" P x 1/2" MPT (6832)	1/8"-3/4"	C. HOT	MLTPL
Tee 1/2" MPT x 1/2" FBSP SW x 1/2" MPT (6836)	1/8"-3/4"	C. HOT	MLTPL
Tee 1/2" P x 1/2" P x 1/2" P (6820)	1/8"-3/4"	C. HOT	MLTPL
Tee 1/2" P x 1/2" P x 3/4" P (6823)	1/8"-3/4"	C. HOT	MLTPL
Tee 3/4" P x 1/2" P x 1/2" P (6824)	1/8"-3/4"	C. HOT	MLTPL
Tee 3/4" P x 1/2" P x 3/4" P (6825)	1/8"-3/4"	C. HOT	MLTPL
Tee 3/4" P x 3/4" P x 1/2" P (6826)	1/8"-3/4"	C. HOT	MLTPL
Tee 3/4" P x 3/4" P x 3/4" P (6827)	1/8"-3/4"	C. HOT	MLTPL
Tee 1/2" P x 1/2" MPT x 1/2" FPT swivel (6819)	1/8"-3/4"	C. HOT	MLTPL
Tee 1/2" P x 1/2" FPT swivel x 1/2" P (6828)	1/8"-3/4"	C. HOT	MLTPL
Tee 1/2" P x 1/2" FBSP swivel x 1/2" MPT (6782)	1/8"-3/4"	C. HOT	MLTPL

- [1] Fittings can be marked with trade designation Flair-it or THC.
- [G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Pipe[2] [G]

Flair - it Flex

3/8" - 1" C.HOT PERT

- [2] Certified for solid wall red, blue or natural tubing.
- [G] Product is Certified to NSF/ANSI 372 and conforms with the lead content requirements for “lead free” plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act.

Number of matching Manufacturers is 1

Number of matching Products is 71

Processing time was 0 seconds